Lista de lucrări

Prim autor

1. **Szatmári S**, Szász JA, Orbán-Kis K, Baróti B, Bataga S, Ciorba M, Nagy EE, Neagoe RM, Mihály I, Szász PZ, et al. Levodopa–Entacapone–Carbidopa Intestinal Gel in the Treatment of Advanced Parkinson's Disease: A Single Center Real-World Experience. Pharmaceutics. 2024;16(4). Epub 2024/04/27. doi: 10.3390/pharmaceutics16040453. PubMed PMID: 38675114; PubMed Central PMCID: PMCPMC11053778. **IF: 4,9**
2. **Szatmari S**, Szasz JA, Orban-Kis K, Bataga S, Ciorba M, Nagy E, et al. Starting with 24-h levodopa carbidopa intestinal gel at initiation in a large cohort of advanced Parkinson's disease patients. Sci Rep. 2024;14(1):3676. Epub 2024/02/15. doi: 10.1038/s41598-024-54299-z. PubMed PMID: 38355970; PubMed Central PMCID: PMCPMC10867013. **IF: 3,8**
3. **Szatmári S,** Szász JA, Constantin V, Mihály I, Török Á, Ciorba M, Török I, Kelemen K, Szász P, Szilvester M, Baróti B, Frigy A, Orbán-Kis K. [Two years' experience with levodopa-entacapone-carbidopa intestinal gel treatment in advanced Parkinson's disease]. Orv Hetil. 2025 Jan 19;166(3):90-97. doi: 10.1556/650.2025.33207. PMID: 39827447. **IF: 0,8**
4. **Szatmari** S, Bereczki D. Procaine treatments for cognition and dementia. Cochrane Database of Systematic Reviews 2008(4):CD005993. Epub 2008/10/10. doi: 10.1002/14651858.CD005993.pub2. PubMed PMID: 18843698.**IF: 5,182**
5. **Szatmari** S, Orban-Kis K, Mihaly I, Lazar AS. Diabetes, Dementia, Depression, Distress. Ideggyogyaszati Szemle-Clinical Neuroscience 2017;70 (9-10):293-299. doi: 10.18071/isz.70.0293**.** PubMed PMID: 29870620. **IF: 0,252**

Autor principal

1. Bereczki, D., and **Szatmari S**. Treatment of dementia and cognitive impairment: What can we learn from the Cochrane Library. Journal of the Neurological Sciences 2009;283(1-2):207-10. Epub 2009/03/10. doi: 10.1016/j.jns.2009.02.351. PubMed PMID: 19268303. **IF: 2,324**
2. Kelemen K, Kövecsi A, Banias L, Klára I, Mihály I, Forró C, Szász JA, **Szatmári S.** A Rare Case of Histopathologically Confirmed Creutzfeldt-Jakob Disease from Romania, Long Route to Diagnosis-Case Report and an Overview of the Romanian CJD Situation. J Clin Med. 2022 Aug 17;11(16):4803. doi: 10.3390/jcm11164803. PMID: 36013055; PMCID: PMC9409679.**IF: 3,9**
3. Orbán-Kis K, Szocs I, Fekete K, Mihálka L, Csiba L, Bereczki D, **Szatmári S.** Comparison Of Hospitalized Acute Stroke Patients' Characteristics Using Two Large Central-Eastern European Databases. Ideggyogy Sz. 2016;69(1-2):47-53. Epub 2016/03/19. doi: 10.18071/isz.69.0047. PubMed PMID: 26987240. **IF: 0,322**
4. Szász JA, Constantin V, Fazakas PA, Blényesi E, Grieb LG, Balla A, Sárig M, Szegedi K, Bartha EN, **Szatmári S.** The role of selective monoamine oxidase B inhibitors in the therapeutic strategy of Parkinson's disease in the neurology clinics of Tirgu Mures County Emergency Clinical Hospital. Orv Hetil. 2017 Dec;158(51):2023-2028. doi: 10.1556/650.2017.30914. PMID: 29250969. **IF: 0,322**
5. Szász JA, Viorelia C, Mihály I, Biró I, Péter C, Orbán-Kis K, **Szatmári S**. Dopamine agonists in Parkinson's disease therapy-15 years of experience of the neurological clinics from Tirgu Mures. A cross-sectional study. Ideggyogyaszati Szemle-Clinical Neuroscience 2019;72(5-6):187-93. Epub 2019/06/27. doi: 10.18071/isz.72.0187. PubMed PMID: 31241263. **IF: 0,337**
6. Szász JA, Constantin VA, Orbán-Kis K, Bancu LA, Bataga SM, Ciorba M, Nagy E, Neagoe MR, Mihály I, Szász RM, Kelemen K, Simu M, **Szatmári S**. Levodopa-Carbidopa Intestinal Gel in Advanced Parkinson's Disease: Observations and Dilemmas after 10 Years of Real-Life Experience. Pharmaceutics. 2022;14(6). Epub 2022/06/25. doi: 10.3390/pharmaceutics14061115. PubMed PMID: 35745688; PubMed Central PMCID: PMCPMC9231164. **IF: 5,4**
7. Szász JA, **Szatmári S**, Constantin V, Mihaly I, Racz A, Frigy A, et al. [Decision-making and duration to accept device-aided therapy in advanced Parkinson's disease]. Orv Hetil. 2021;162(21):839-47. Epub 2021/05/24. doi: 10.1556/650.2021.32083. PubMed PMID: 34023813. **IF: 0,707**
8. Szász JA, Constantin VA, Orbán-Kis K, Bancu LA, Ciorba M, Mihály I, Nagy EE, Szász RM, Kelemen K, Simu MA, **Szatmári S.** Management Challenges of Severe, Complex Dyskinesia. Data from a Large Cohort of Patients Treated with Levodopa-Carbidopa Intestinal Gel for Advanced Parkinson's Disease. Brain Sci. 2021;11(7). Epub 2021/07/03. doi: 10.3390/brainsci11070826. PubMed PMID: 34206596; PubMed Central PMCID: PMCPMC8301838. **IF: 3,333**
9. Szász J, **Szatmári S**, Constantin V, Mihaly I, Racz A, Torok I, et al. [The importance of evaluation of gastrointestinal symptoms in advanced Parkinson's disease]. Orv Hetil. 2020;161(39):1681-7. Epub 2020/09/28. doi: 10.1556/650.2020.31782. PubMed PMID: 32980824.**IF: 0,540**

10. Szász JA, Constantin VA, Orbán-Kis K, Rácz A, Bancu LA, Georgescu D, Szederjesi J, Mihály I, Fárr AM, Kelemen K, Vajda T, **Szatmári S**. Profile Of Patients With Advanced Parkinson's disease Suitable For Device-Aided Therapies: Restrospective Data Of A Large Cohort Of Romanian Patients. Neuropsychiatric Disease and Treatment 2019;15:3187-95. Epub 2020/02/06. doi: 10.2147/NDT.S230052. PubMed PMID: 32009788; PubMed Central PMCID: PMCPMC6859121. **IF: 2,157**
11. Szász JA, Orbán-Kis K, Constantin VA, Péter C, Bíró I, Mihály I, Szegedi K, Balla A, **Szatmári S**. Therapeutic strategies in the early stages of Parkinson's disease: a cross-sectional evaluation of 15 years' experience with a large cohort of Romanian patients. Neuropsychiatric Disease and Treatment 2019;15:831-8. Epub 2019/05/02. doi: 10.2147/ndt.S197630. PubMed PMID: 31040682; PubMed Central PMCID: PMCPMC6454997. **IF: 2,157**
12. Szász JA, **Szatmári S**, Constantin V, Mihály I, Rácz A, Domokos LC, Vajda T, Orbán-Kis K.Characteristics of levodopa treatment in advanced Parkinson's disease in the experiences of the neurology clinics of Targu Mures, Romania. Orvosi Hetilap 2019;160(17):662-9. Epub 2019/04/24. doi: 10.1556/650.2019.31354. PubMed PMID: 31010306. **IF: 0,497**
13. Szasz JA, **Szatmari S,** Constantin V, Mihaly I, Torok A, Frigy A, et al. [Ten-year trends of the characteristics in patients with advanced Parkinson's disease at the time of intestinal gel therapy introduction]. Orv Hetil. 2022;163(30):1189-95. Epub 2022/07/28. doi: 10.1556/650.2022.32534. PubMed PMID: 35895443.**IF: 0,6**

Coautor

1. Appleton JP, Woodhouse LJ, Adami A, Becker JL, Berge E, Cala LA, Casado AM, Caso V, Christensen HK, Dineen RA, Gommans J, Koumellis P, **Szatmari S**, Sprigg N, Bath PM, Wardlaw JM; ENOS Investigators. Imaging markers of small vessel disease and brain frailty, and outcomes in acute stroke. Neurology 2020;94(5):e439-e52. Epub 2019/12/29. doi: 10.1212/WNL.0000000000008881. PubMed PMID: 31882527; PubMed Central PMCID: PMCPMC7080284. **IF: 9,910**
2. Appleton JP, Woodhouse LJ, Adami A, Becker JL, Berge E, Cala LA, Casado AM, Caso V, Christensen HK, Dineen RA, Gommans J, Koumellis P, **Szatmari S**, Sprigg N, Bath PM, Wardlaw JM; ENOS Investigators. It is safe to use transdermal glyceryl trinitrate to lower blood pressure in patients with acute ischaemic stroke with carotid stenosis. Stroke and Vascular Neurology 2019;4(1):28-35. Epub 2019/05/21. doi: 10.1136/svn-2019-000232. PubMed PMID: 31105976; PubMed Central PMCID: PMCPMC6475087. **IF: 4,765**
3. Appleton JP, Woodhouse LJ, Bereczki D, Berge E, Christensen HK, Collins R, Gommans J, Ntaios G, Ozturk S, **Szatmari S**, Wardlaw JM, Sprigg N, Rothwell PM, Bath PM; ENOS Investigators. Effect of Glyceryl Trinitrate on Hemodynamics in Acute Stroke Data From the ENOS Trial. Stroke 2019;50(2):405-12. Epub 2019/01/11. doi: 10.1161/STROKEAHA.118.023190. PubMed PMID: 30626285; PubMed Central PMCID: PMCPMC6358219. **IF: 8,4**
4. Bajkó Z, Bălaşa R, **Szatmári S**, Rusu S, Moţăţăianu A, Maier S. The role of ultrasound in the diagnosis of temporal arteritis. Neurologia I Neurochirurgia Polska 2015;49 (2):139-143. doi: 10.1016/j.pjnns.2015.03.003. Epub 2015 Mar 20. PMID: 25890932. **IF: 0,747**
5. Bath PMW, Adami A, Bereczki D, Berge E, Beridze M, Cala L, Casado A, Caso V, Chang HM, Christensen H, Collins R, Czlonkowska A, Dineen RA, El Etribi A, Ghani AR, Gommans J, Koumellis P, Laska AC, Lees KR, Navarro J, Ntaios G, Ozturk S, Phillips S, Pocock S, Prasad K, Scutt P, de Silva HA, **Szatmari** S, Diez-Tejedor E, Utton S, Wang YJ, Wardlaw JM, Whynes D, Wong L, Woodhouse L, Sprigg N and Enos Investigators. Baseline characteristics of the 4011 patients recruited into the 'Efficacy of Nitric Oxide in Stroke' (ENOS) trial. International Journal of Stroke 2014 Aug;9(6):711-20. doi: 10.1111/ijs.12308. PMID: 25043647. **IF: 3,833**
6. Bath PMW, Woodhouse L, Scutt P, Krishnan K, Wardlaw JM, Bereczki D, Sprigg N, Berge E, Beridze M, Caso V, Chen C, Christensen H, Collins R, El Etribi A, Laska AC, Lees KR, Ozturk S, Phillips S, Pocock S, de Silva HA, **Szatmari** S, Utton S and Enos Trial Investigators. Efficacy of nitric oxide, with or without continuing antihypertensive treatment, for management of high blood pressure in acute stroke (ENOS): a partial-factorial randomised controlled trial. Lancet 2015 Feb 14;385(9968):617-628. doi: 10.1016/S0140-6736(14)61121-1. Epub 2014 Oct 21. Erratum in: Lancet. 2015 Feb 14;385(9968):606. PMID: 25465108; PMCID: PMC4343308. **IF: 44,002**
7. Beishon L, Woodhouse LJ, Bereczki D, Christensen HK, Collins R, Gommans J, Kruuse C, Ntaios G, Ozturk S, Phillips S, Pocock S, **Szatmari S**, Wardlaw J, Sprigg N, Bath PM; for ENOS Investigators. Relationship between nitrate headache and outcome in patients with acute stroke: results from the efficacy of nitric oxide in stroke (ENOS) trial. Stroke and Vascular Neurology 2021 Jun;6(2):180-186. doi: 10.1136/svn-2020-000498. Epub 2020 Nov 5. PMID: 33154177; PMCID: PMC8258084.IF: **9,893**
8. Bereczki D, Mihálka L, **Szatmári S**, Fekete K, Di Cesar D, Fülesdi B, Csiba L, Fekete I. Mannitol use in acute stroke - Case fatality at 30 days and 1 year. Stroke 2003 Jul;34(7):1730-5. doi: 10.1161/01.STR.0000078658.52316.E8. Epub 2003 Jun 19. PMID: 12817105. **IF: 5,233**

9. Fekete K, **Szatmari S**, Szocs I, Szekeres C, Szasz J, Mihalka L, et al. Prestroke alcohol consumption and smoking are not associated with stroke severity, disability at discharge, and case fatality. J Stroke Cerebrovasc Dis. 2014;23(1):e31-7. Epub 2013/10/10. doi: 10.1016/j.jstrokecerebrovasdis.2013.08.006. PubMed PMID: 24103659.. **IF: 1,669**
10. Kerenyi L, Kardos L, Szasz J, **Szatmari S**, Bereczki D, Hegedus K, et al. Factors influencing hemorrhagic transformation in ischemic stroke: a clinicopathological comparison. Eur J Neurol. 2006;13(11):1251-5. Epub 2006/10/14. doi: 10.1111/j.1468-1331.2006.01489.x. PubMed PMID: 17038041.**IF: 2,244**
11. Szocs I, **Szatmári S**, Fekete K, Orbán-Kis K, Vastagh I, Folyovich A, Ajtay A, Bereczki D. One year follow-up after stroke. A preliminary feasibility study in Josephtown of Budapest. Ideggyogyaszati Szemle-Clinical Neuroscience 2012.65 (3-4):107-112. PMID: 23136728.**IF: 0,348**
12. Woodhouse LJ, Appleton JP, Scutt P, Everton L, Wilkinson G, Caso V, Czlonkowska A, Gommans J, Krishnan K, Laska AC, Ntaios G, Ozturk S, Phillips S, Pocock S, Prasad K, **Szatmari S**, Wardlaw JM, Sprigg N, Bath PM; ENOS Investigators. Effect of continuing versus stopping pre-stroke antihypertensive agents within 12 h on outcome after stroke: A subgroup analysis of the efficacy of nitric oxide in stroke (ENOS) trial. Eclinicalmedicine 2022;44:101274. Epub 2022/02/04. doi: 10.1016/j.eclinm.2022.101274. PubMed PMID: 35112073; PubMed Central PMCID: PMCPMC8790472. **IF: 15,1**
13. Woodhouse LJ, Scutt P, Hamdy S, Smithard DG, Cohen DL, Roffe C, Bereczki D, Berge E, Bladin CF, Caso V, Christensen HK, Collins R, Czlonkowska A, de Silva A, Etribi A, Laska AC, Ntaios G, Ozturk S, Phillips SJ, Prasad K, **Szatmari S**, Sprigg N, Bath PM. Route of Feeding as a Proxy for Dysphagia After Stroke and the Effect of Transdermal Glyceryl Trinitrate: Data from the Efficacy of Nitric Oxide in Stroke Randomised Controlled Trial. Translational Stroke Research 2018;9(2):120-9. Epub 2017/08/05. doi: 10.1007/s12975-017-0548-0. PubMed PMID: 28770403; PubMed Central PMCID: PMCPMC5849635.**IF: 5,847**
14. Godolphin PJ, Montgomery AA, Woodhouse LJ, Bereczki D, Berge E, Collins R, Díez-Tejedor E, Gommans J, Lees KR, Ozturk S, Phillips S, Pocock S, Prasad K, **Szatmari S**, Wang Y, Bath PM, Sprigg N; ENOS Investigators. Central adjudication of serious adverse events did not affect trial's safety results: Data from the Efficacy of Nitric Oxide in Stroke (ENOS) trial. PloS one, 2018;13(11):e0208142. Epub 2018/11/27. doi: 10.1371/journal.pone.0208142. PubMed PMID: 30475912; PubMed Central PMCID: PMCPMC6258247. **IF: 2,776**
15. Krishnan K, Scutt P, Woodhouse L, Adami A, Becker JL, Cala LA, Casado AM, Chen C, Dineen RA, Gommans J, Koumellis P, Christensen H, Collins R, Czlonkowska A, Lees KR, Ntaios G, Ozturk S, Phillips SJ, Sprigg N, **Szatmari S**, Wardlaw JM, Bath PM; ENOS Investigators. Continuing versus Stopping Prestroke Antihypertensive Therapy in Acute Intracerebral Hemorrhage: A Subgroup Analysis of the Efficacy of Nitric Oxide in Stroke Trial J Stroke Cerebrovasc Dis. 2016;25(5):1017-26. Epub 2016/02/09. doi: 10.1016/j.jstrokecerebrovasdis.2016.01.010. PubMed PMID: 26853137; PubMed Central PMCID: PMCPMC4851456.**IF: 1,517**
16. Krishnan K, Scutt P, Woodhouse L, Adami A, Becker JL, Berge E, Cala LA, Casado AM, Caso V, Chen C, Christensen H, Collins R, Czlonkowska A, Dineen RA, Gommans J, Koumellis P, Lees KR, Ntaios G, Ozturk S, Phillips SJ, Pocock SJ, de Silva A, Sprigg N, **Szatmari S**, Wardlaw JM, Bath PM. Glyceryl Trinitrate for Acute Intracerebral Hemorrhage Results From the Efficacy of Nitric Oxide in Stroke (ENOS) Trial, a Subgroup Analysis. Stroke. 2016;47(1):44-52. Epub 2015/12/10. doi: 10.1161/STROKEAHA.115.010368. PubMed PMID: 26645254. **IF: 6,032**
17. Constantin VA, Szász JA, Orbán-Kis K, Rosca EC, Popovici M, Cornea A, Bancu LA, Ciorba M, Mihály I, Nagy E, **Szatmári S**, Simu M. Levodopa-Carbidopa Intestinal Gel Infusion Therapy Discontinuation: A Ten-Year Retrospective Analysis of 204 Treated Patients. Neuropsychiatr Dis Treat. 2020 Jul 28;16:1835-1844. doi: 10.2147/NDT.S256988. PMID: 32801718; PMCID: PMC7395851. **IF: 2,570**