Lista de lucrări

Articole publicate in extenso în reviste cotate ISI, cu FI, autor principal

1. **Kiss E**, Kirsch J, Kuhse J, Kins S. Is the Activation of the Postsynaptic Ligand Gated Glycine- or $GABA_A$ Receptors Essential for the Receptor Clustering at Inhibitory Synapses? Biomedicines. 2025 Aug 5;13(8):1905. doi: 10.3390/biomedicines13081905. **IF: 4,9**
2. **Kiss E**, Kins S, Gorgas K, Venczel Szakács KH, Kirsch J, Kuhse J. Another Use for a Proven Drug: Experimental Evidence for the Potential of Artemisinin and Its Derivatives to Treat Alzheimer's Disease. Int J Mol Sci. 2024 Apr 9;25(8):4165. doi: 10.3390/ijms25084165. **IF: 4,9**
3. Kuhse J, Groeneweg F, Kins S, Gorgas K, Nawrotzki R, Kirsch J, **Kiss E.** Loss of Extrasynaptic Inhibitory Glycine Receptors in the Hippocampus of an AD Mouse Model Is Restored by Treatment with Artesunate. Int J Mol Sci. 2023 Feb 27;24(5):4623. doi: 10.3390/ijms24054623. **IF: 5,6**
4. Kiss E, Fischer C, Sauter JM, Sun J, Ullrich ND. The Structural and the Functional Aspects of Intercellular Communication in iPSC-Cardiomyocytes. Int J Mol Sci. 2022 Apr 18;23(8):4460. doi: 10.3390/ijms23084460. **FI: 5,6**
5. **Kiss E**, Kins S, Zöller Y, Schilling S, Gorgas K, Groß D, Schlicksupp A, Rosner R, Kirsch J, Kuhse J. Artesunate restores the levels of inhibitory synapse proteins and reduces amyloid-β and C-terminal fragments (CTFs) of the amyloid precursor protein in an AD-mouse model. Mol Cell Neurosci. 2021 Jun;113:103624. doi: 10.1016/j.mcn.2021.103624. **IF: 3,182**
6. **Kiss E**, Kins S, Gorgas K, Orlik M, Fischer C, Endres K, Schlicksupp A, Kirsch J, Kuhse J. Artemisinin-treatment in pre-symptomatic APP-PS1 mice increases gephyrin phosphorylation at Ser270: a modification regulating postsynaptic $GABA_AR$ density. Biol Chem. 2021 Apr 20;403(1):73-87. doi: 10.1515/hsz-2021-0153. **IF: 3,46**
7. **Kiss E**, Groeneweg F, Gorgas K, Schlicksupp A, Kins S, Kirsch J, Kuhse J. Amyloid-β Fosters p35/CDK5 Signaling Contributing to Changes of Inhibitory Synapses in Early Stages of Cerebral Amyloidosis. J Alzheimers Dis. 2020;74(4):1167-1187. doi: 10.3233/JAD-190976. **FI: 4,472**
8. Hollnagel JO, Elzoheiry S, Gorgas K, Kins S, Beretta CA, Kirsch J, Kuhse J, Kann O, **Kiss E.** Early alterations in hippocampal perisomatic GABAergic synapses and network oscillations in a mouse model of Alzheimer's disease amyloidosis. PLoS One. 2019 Jan 15;14(1):e0209228. doi: 10.1371/journal.pone.0209228. **FI: 2,766**
9. **Kiss E**, Gorgas K, Schlicksupp A, Groß D, Kins S, Kirsch J, Kuhse J. Biphasic Alteration of the Inhibitory Synapse Scaffold Protein Gephyrin in Early and Late Stages of an Alzheimer Disease Model. Am J Pathol. 2016 Sep;186(9):2279-91. doi: 10.1016/j.ajpath.2016.05.013. **FI: 4,057**
10. **Kiss E**, Kränzlin B, Wagenblaß K, Bonrouhi M, Thiery J, Gröne E, Nordström V, Teupser D, Gretz N, Malle E, Gröne HJ. Lipid droplet accumulation is associated with an increase in hyperglycemia-induced renal damage: prevention by liver X receptors. Am J Pathol. 2013 Mar;182(3):727-41. doi: 10.1016/j.ajpath.2012.11.033. **FI: 4,602**
11. **Kiss E,** Popovic Z, Bedke J, Wang S, Bonrouhi M, Gretz N, Stettner P, Teupser D, Thiery J, Porubsky S, Adams J, Gröne HJ. Suppression of chronic damage in renal allografts by Liver X receptor (LXR) activation relevant contribution of macrophage LXRα. Am J Pathol. 2011 Jul;179(1):92-103. doi: 10.1016/j.ajpath.2011.03.019. **FI: 4,89**
12. **Kiss E**, Popovic ZV, Bedke J, Adams J, Bonrouhi M, Babelova A, Schmidt C, Edenhofer F, Zschiedrich I, Domhan S, Abdollahi A, Schäfer L, Gretz N, Porubsky S, Gröne HJ. Peroxisome proliferator-activated receptor (PPAR)gamma can inhibit chronic renal allograft damage. Am J Pathol. 2010 May;176(5):2150-62. doi: 10.2353/ajpath.2010.090370. **FI: 5,224**
13. **Kiss E**, Adams J, Gröne HJ, Wagner J. Isotretinoin ameliorates renal damage in experimental acute renal allograft rejection. Transplantation. 2003 Aug 15;76(3):480-9. doi:

10.1097/01.TP.0000066354.31050.5A. **FI: 3,608**

14. Bedke J*, **Kiss E***, Behnes CL, Popovic ZV, Heuser M, Stojanovic T, Sijmonsma T, Huber P, Domhan S, Muschal S, Abdollahi A, Gretz N, Gröne HJ. Anti-inflammatory effects of alphav integrin antagonism in acute kidney allograft rejection. Am J Pathol. 2007 Oct;171(4):1127-39. doi: 10.2353/ajpath.2007.070329. **FI: 5,49,** *contribuție egală
15. Adams J*, **Kiss E***, Arroyo AB, Bonrouhi M, Sun Q, Li Z, Gretz N, Schnitger A, Zouboulis CC, Wiesel M, Wagner J, Nelson PJ, Gröne HJ. 13-cis retinoic acid inhibits development and progression of chronic allograft nephropathy. Am J Pathol. 2005 Jul;167(1):285-98. doi: 10.1016/S0002-9440(10)62973-2. **IF: 5,80** *contribuție egală
16. Sun K*, **Kiss E***, Bedke J, Stojanovic T, Li Y, Gwinner W, Gröne HJ. Role of xanthine oxidoreductase in experimental acute renal-allograft rejection. Transplantation. 2004 Jun 15;77(11):1683-92. doi: 10.1097/01.tp.0000131169.29553.b1. **FI: 3,568,** *contribuție egală

Articole publicate in extenso în reviste cotate ISI, cu FI, coautor

17. Zhou L, **Kiss E**, Demmig R, Kirsch J, Nawrotzki RA, Kuhse J. Binding of gephyrin to microtubules is regulated by its phosphorylation at Ser270. Histochem Cell Biol. 2021 Jul;156(1):5-18. doi: 10.1007/s00418-021-01973-2. **FI: 3,418**
18. Porubsky S, Wang S, **Kiss E**, Dehmel S, Bonrouhi M, Dorn T, Luckow B, Brakebusch C, Gröne HJ. Rhoh deficiency reduces peripheral T-cell function and attenuates allogenic transplant rejection. Eur J Immunol. 2011 Jan;41(1):76-88. doi: 10.1002/eji.201040420. **FI:5,103**
19. Bedke J, Stojanovic T, **Kiss E**, Behnes CL, Proudfoot AE, Gröne HJ. Viral macrophage inflammatory protein-II improves acute rejection in allogeneic rat kidney transplants. World J Urol. 2010 Aug;28(4):537-42. doi: 10.1007/s00345-010-0556-0. **FI:2,438**
20. Wang S, Schmaderer C, **Kiss E**, Schmidt C, Bonrouhi M, Porubsky S, Gretz N, Schaefer L, Kirschning CJ, Popovic ZV, Gröne HJ. Recipient Toll-like receptors contribute to chronic graft dysfunction by both MyD88- and TRIF-dependent signaling. Dis Model Mech. 2010 Jan-Feb;3(1-2):92-103. doi: 10.1242/dmm.003533. **FI: 4,58**
21. Bedke J, Nelson PJ, **Kiss E**, Muenchmeier N, Rek A, Behnes CL, Gretz N, Kungl AJ, Gröne HJ. A novel CXCL8 protein-based antagonist in acute experimental renal allograft damage. Mol Immunol. 2010 Feb;47(5):1047-57. doi: 10.1016/j.molimm.2009.11.012. **FI: 2,916**
22. Dehmel S, Wang S, Schmidt C, **Kiss E**, Loewe RP, Chilla S, Schlöndorff D, Gröne HJ, Luckow B. Chemokine receptor Ccr5 deficiency induces alternative macrophage activation and improves long-term renal allograft outcome. Eur J Immunol. 2010 Jan;40(1):267-78. doi: 10.1002/eji.200939652. **FI: 4,942**
23. Oberemm A, Ahr HJ, Bannasch P, Ellinger-Ziegelbauer H, Glückmann M, Hellmann J, Ittrich C, Kopp-Schneider A, Kramer PJ, Krause E, Kröger M, **Kiss E**, Richter-Reichhelm HB, Scholz G, Seemann K, Weimer M, Gundert-Remy U. Toxicogenomic analysis of N-nitrosomorpholine induced changes in rat liver: comparison of genomic and proteomic responses and anchoring to histopathological parameters. Toxicol Appl Pharmacol. 2009 Dec 1;241(2):230-45. doi: 10.1016/j.taap.2009.08.020. **FI: 3,359**
24. Grgic I, **Kiss E**, Kaistha BP, Busch C, Kloss M, Sautter J, Müller A, Kaistha A, Schmidt C, Raman G, Wulff H, Strutz F, Gröne HJ, Köhler R, Hoyer J. Renal fibrosis is attenuated by targeted disruption of KCa3.1 potassium channels. Proc Natl Acad Sci U S A. 2009 Aug 25;106(34):14518-23. doi: 10.1073/pnas.0903458106. **FI: 9.432**
25. von Toerne C, Schmidt C, Adams J, **Kiss E**, Bedke J, Porubsky S, Gretz N, Lindenmeyer MT, Cohen CD, Gröne HJ, Nelson PJ. Wnt pathway regulation in chronic renal allograft damage. Am

J Transplant. 2009 Oct;9(10):2223-39. doi: 10.1111/j.1600-6143.2009.02762.x. **FI: 6,433**

26. Stojanovic T, Wagner AH, Wang S, **Kiss E**, Rockstroh N, Bedke J, Gröne HJ, Hecker M. STAT-1 decoy oligodeoxynucleotide inhibition of acute rejection in mouse heart transplants. Basic Res Cardiol. 2009 Nov;104(6):719-29. doi: 10.1007/s00395-009-0028-0. **FI: 5,953**
27. Cohen CD, Lindenmeyer MT, Eichinger F, Hahn A, Seifert M, Moll AG, Schmid H, **Kiss E**, Gröne E, Gröne HJ, Kretzler M, Werner T, Nelson PJ. Improved elucidation of biological processes linked to diabetic nephropathy by single probe-based microarray data analysis. PLoS One. 2008 Aug 13;3(8):e2937. doi: 10.1371/journal.pone.0002937. **FI: 4,351**
28. Schramme A, Abdel-Bakky MS, Gutwein P, Obermüller N, Baer PC, Hauser IA, Ludwig A, Gauer S, Schäfer L, Sobkowiak E, Altevogt P, Koziolek M, **Kiss E**, Gröne HJ, Tikkanen R, Goren I, Radeke H, Pfeilschifter J. Characterization of CXCL16 and ADAM10 in the normal and transplanted kidney. Kidney Int. 2008 Aug;74(3):328-38. doi: 10.1038/ki.2008.181. **FI:6,42**
29. Scholz J, Lukacs-Kornek V, Engel DR, Specht S, **Kiss E**, Eitner F, Floege J, Groene HJ, Kurts C. Renal dendritic cells stimulate IL-10 production and attenuate nephrotoxic nephritis. J Am Soc Nephrol. 2008 Mar;19(3):527-37. doi: 10.1681/ASN.2007060684. **FI: 7.505**
30. Popovic ZV, Sandhoff R, Sijmonsma TP, Kaden S, Jennemann R, **Kiss E**, Tone E, Autschbach F, Platt N, Malle E, Gröne HJ. Sulfated glycosphingolipid as mediator of phagocytosis: SM4s enhances apoptotic cell clearance and modulates macrophage activity. J Immunol. 2007 Nov 15;179(10):6770-82. doi: 10.4049/jimmunol.179.10.6770. **FI: 6,07**
31. Gauer S, Sichler O, Obermüller N, Holzmann Y, **Kiss E**, Sobkowiak E, Pfeilschifter J, Geiger H, Mühl H, Hauser IA. IL-18 is expressed in the intercalated cell of human kidney. Kidney Int. 2007 Nov;72(9):1081-7. doi: 10.1038/sj.ki.5002473. **FI: 6,42**
32. Bedke J, **Kiss E**, Schaefer L, Behnes CL, Bonrouhi M, Gretz N, Horuk R, Diedrichs-Moehring M, Wildner G, Nelson PJ, Gröne HJ. Beneficial effects of CCR1 blockade on the progression of chronic renal allograft damage. Am J Transplant. 2007 Mar;7(3):527-37. doi: 10.1111/j.1600-6143.2006.01654.x. **FI: 6,433**
33. Schmid H, Boucherot A, Yasuda Y, Henger A, Brunner B, Eichinger F, Nitsche A, **Kiss E**, Bleich M, Gröne HJ, Nelson PJ, Schlöndorff D, Cohen CD, Kretzler M; European Renal cDNA Bank (ERCB) Consortium. Modular activation of nuclear factor-kappaB transcriptional programs in human diabetic nephropathy. Diabetes. 2006 Nov;55(11):2993-3003. doi: 10.2337/db06-0477. **FI: 7,955**
34. Jennemann R, Sandhoff R, Wang S, **Kiss E**, Gretz N, Zuliani C, Martin-Villalba A, Jäger R, Schorle H, Kenzelmann M, Bonrouhi M, Wiegandt H, Gröne HJ. Cell-specific deletion of glucosylceramide synthase in brain leads to severe neural defects after birth. Proc Natl Acad Sci U S A. 2005 Aug 30;102(35):12459-64. doi: 10.1073/pnas.0500893102. **FI:10,231**
35. Schaefer L, Babelova A, **Kiss E**, Hausser HJ, Baliova M, Krzyzankova M, Marsche G, Young MF, Mihalik D, Götte M, Malle E, Schaefer RM, Gröne HJ. The matrix component biglycan is proinflammatory and signals through Toll-like receptors 4 and 2 in macrophages. J Clin Invest. 2005 Aug;115(8):2223-33. doi: 10.1172/JCI23755. **FI: 15,05**
36. Yuan X, Zhou Y, Casanova E, Chai M, **Kiss E**, Gröne HJ, Schütz G, Grummt I. Genetic inactivation of the transcription factor TIF-IA leads to nucleolar disruption, cell cycle arrest, and p53-mediated apoptosis. Mol Cell. 2005 Jul 1;19(1):77-87. doi: 10.1016/j.molcel.2005.05.023. **FI:14,971**
37. Ridder RM, Kreth HW, **Kiss E**, Gröne HJ, Gordjani N. Membranous nephropathy associated with familial chronic ulcerative colitis in a 12-year-old girl. Pediatr Nephrol. 2005 Sep;20(9):1349-51. doi: 10.1007/s00467-005-1986-6. **FI: 2,425**
38. Sandhoff R, Geyer R, Jennemann R, Paret C, **Kiss E**, Yamashita T, Gorgas K, Sijmonsma TP, Iwamori M, Finaz C, Proia RL, Wiegandt H, Gröne HJ. Novel class of glycosphingolipids involved

in male fertility. J Biol Chem. 2005 Jul 22;280(29):27310-8. doi: 10.1074/jbc.M502775200. **FI: 5,33**

39. Hauser IA, Spiegler S, **Kiss E**, Gauer S, Sichler O, Scheuermann EH, Ackermann H, Pfeilschifter JM, Geiger H, Gröne HJ, Radeke HH. Prediction of acute renal allograft rejection by urinary monokine induced by IFN-gamma (MIG). J Am Soc Nephrol. 2005 Jun;16(6):1849-58. doi: 10.1681/ASN.2004100836. **FI: 7,24**
40. Hermann M, Shaw S, **Kiss E**, Camici G, Bühler N, Chenevard R, Lüscher TF, Gröne HJ, Ruschitzka F. Selective COX-2 inhibitors and renal injury in salt-sensitive hypertension. Hypertension. 2005 Feb;45(2):193-7. doi: 10.1161/01.HYP.0000153053.82032.bf. **FI:6,614**
41. Luckow B, Joergensen J, Chilla S, Li JP, Henger A, **Kiss E**, Wieczorek G, Roth L, Hartmann N, Hoffmann R, Kretzler M, Nelson PJ, Pérez de Lema G, Maier H, Wurst W, Balling R, Pfeffer K, Gröne HJ, Schlöndorff D, Zerwes HG. Reduced intragraft mRNA expression of matrix metalloproteinases Mmp3, Mmp12, Mmp13 and Adam8, and diminished transplant arteriosclerosis in Ccr5-deficient mice. Eur J Immunol. 2004 Sep;34(9):2568-78. doi: 10.1002/eji.200324776. **FI: 5,0**
42. Schedel J, Mayer S, Woenckhaus M, **Kiss E**, Schölmerich J, Rogler G. Autoimmuncholangitis mit vaskulitischen Ulzera, rheumatoider Arthritis und IgA-Glomerulonephritis [Autoimmune cholangitis with vasculitic ulcers, rheumatoid arthritis and IgA glomerulonephritis]. Dtsch Med Wochenschr. 2004 Nov 5;129(45):2409-12. German. doi: 10.1055/s-2004-835278. **FI: 0,55**
43. Gross V, Obst M, Kiss E, Janke J, Mazak I, Shagdarsuren E, Müller DN, Langenickel TH, Gröne HJ, Luft FC. Cardiac hypertrophy and fibrosis in chronic L-NAME-treated AT2 receptor-deficient mice. J Hypertens. 2004 May;22(5):997-1005. doi: 10.1097/00004872-200405000-00023. FI: **2,289**
44. Henger A, Kretzler M, Doran P, Bonrouhi M, Schmid H, **Kiss E**, Cohen CD, Madden S, Porubsky S, Gröne EF, Schlöndorff D, Nelson PJ, Gröne HJ. Gene expression fingerprints in human tubulointerstitial inflammation and fibrosis as prognostic markers of disease progression. Kidney Int. 2004 Mar;65(3):904-17. doi: 10.1111/j.1523-1755.2004.00499.x. FI: **4,79**
45. Segerer S, Banas B, Wörnle M, Schmid H, Cohen CD, Kretzler M, Mack M, Kiss E, Nelson PJ, Schlöndorff D, Gröne HJ. CXCR3 is involved in tubulointerstitial injury in human glomerulonephritis. Am J Pathol. 2004 Feb;164(2):635-49. doi: 10.1016/S0002-9440(10)63152-5. **FI: 6,44**

Articole publicate in extenso în reviste cotate BDI, autor principal

46. E. Horváth, É. Kiss. Spleen Derived Immune Cells in Acute Ischemic Brain Injury: A Short Review. ***Acta Marisiensis*** - Seria Medica 2019;65(4):129-134.